

Transform Your Exteriors  
*into Works of Art*

High Depth Elevation  
300x600MM



Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES APOLO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE



BIANCO



GRIS



MARFIL



OFF GREY



SLATE

# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## APOLO BEIGE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





**HIGH-DEPTH  
ELEVATION TILES**  
VITRIFIED BODY

**APOLO BIANCO**



MATT SURFACE

**PRODUCT INFORMATION**

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



**PACKAGING DETAILS**

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## APOLO GRIS



MATT SURFACE

### PRODUCT INFORMATION

Dimensions




300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## APOLO MARFIL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |









# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## APOLO SLATE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions




300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES ARIA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BLACK



BRONZE



BROWN




MAROON

# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## ARIA BLACK



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## ARIA BRONZE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

**ARIA BROWN**



MATT SURFACE

**PRODUCT INFORMATION**

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



**PACKAGING DETAILS**

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

ARIA MAROON



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES BORATON



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



NATURAL



HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BORATON NATURAL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Wellness  
Spa

Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES BOSCO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE



CAMEL



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

BOSCO BEIGE



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BOSCO CAMEL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm


Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## BOSCO NATURAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics




### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



300x600mm

12"x24"



10mm

THICKNESS

Available In  
MATT SURFACE

HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

## SERIES BOTANIC

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



WHITE



AZUL



BEIGE



BROWN



GREY



GRIS

HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

BOTANIC WHITE METRIX



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BOTANIC AZUL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BOTANIC BEIGE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BOTANIC BRWON METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions




300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

BOTANIC GREY METRIX



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BOTANIC GRIS METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm


Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



300x600mm

12"x24"



10mm

THICKNESS

Available In

MATT SURFACE

HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY


## SERIES BRICKS



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



CREMA



GRIS



NATURAL



GREY



MARFIL

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

**BRICKS CREMA**



MATT SURFACE

**PRODUCT INFORMATION**

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



**PACKAGING DETAILS**

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## BRICKS GRIS



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BRICKS NATURAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## BRICKS GREY



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## BRICKS MARFIL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In  
**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES CIRO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE



BIANCO



GREY



MIX



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CIRO BEIGE KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CIRO BIANCO KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CIRO GREY KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CIRO MIX KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm


Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CIRO NATURAL KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES CORTEX



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BIANCO



BONZA




ROJO



NUT

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CORTEX BIANCO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CORTEX BONZA METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |








HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CORTEX NUT METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS


|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## CORTEX ROJO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES DIXON



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BIANCO



CAMEL



NATURA



MIX

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## DIXON BIANCO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |








HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## DIXON CAMEL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm


Technical Characteristics



### PACKAGING DETAILS


| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





**HIGH-DEPTH  
ELEVATION TILES**  
VITRIFIED BODY

**DIXON MIX METRIX**



MATT SURFACE

**PRODUCT INFORMATION**

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



**PACKAGING DETAILS**


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## DIXON NATURA METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In  
**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES ESTORIL

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



GREY



MIX



NEGRO



OXIDO




SAND



TERRA

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL GREY METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL MIX METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL NEGRO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL OXIDO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL SAND METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ESTORIL TERRA METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics




### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES HEXA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.




BROWN



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## HEXA BROWN METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## HEXA NATURAL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES IROKO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BROWN

# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## IROKO BROWN



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics




### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES JSLA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE



GREY



GRIS



NATURAL




OXIDO

# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## JSLA BEIGE KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## JSLA GREY KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## JSLA GRIS KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## JSLA NATURAL KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## JSLA OXIDO KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm


Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES LINES



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BROWN



CAMEL



GRIS



MAROON



MIX

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LINES BROWN METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LINES CAMEL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LINES GRIS METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

LINES MAROON METRIX



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## LINES MIX METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES LVCA

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BROWN



GREY



MIX



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LVCA BROWN KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LVCA GREY KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LVCA MIX KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## LVCA NATURAL KRISTAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm


Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In  
**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES MOSIACO

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE



BROWN




GREY



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## MOSIACO BEIGE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## MOSIACO BROWN METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS


| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## MOSIACO GREY METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## MOSIACO NATURAL METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics




### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES MUSE



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BROWN



CAMEL



SLATE

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

MUSE BROWN



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## MUSE CAMEL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## MUSE SLATE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES NUBIA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



NUT

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## NUBIA NUT



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES ORA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BEIGE




BROWN



GRIS

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ORA BEIGE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |








HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ORA BROWN METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## ORA GRIS METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES PRAGA



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



ALMOND



BEIGE

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## PRAGA ALMOND



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

PRAGA BEIGE



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES REFLEX



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.




BRWON

# HIGH-DEPTH ELEVATION TILES

VITRIFIED BODY

## REFLEX BRWON



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES RENO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.




BROWN



NATURAL

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

RENO BROWN



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## RENO NATURAL



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES SANTIAGO



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



CREMA

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## SANTIAGO CREMA METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|   | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES SILKEN




Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



GRIS

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

SILKEN GRIS



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES STONELA

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BONZA



GRIS



SLATE



VERDE



HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STONELA BONZA



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STONELA GRIS



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STONELA SLATE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STONELA VERDE



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |







Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES STORM



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BROWN



NERO



VERDE

HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

STORM BROWN METRIX



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STORM NERO METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STORM VERDE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In  
**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES STRIPS



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BLACK



BEIGE




BROWN



HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STRIP BLACK METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## STRIPS BEIGE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |






HIGH-DEPTH  
ELEVATION TILES

VITRIFIED BODY

STRIPS BROWN METRIX



MATT SURFACE

PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES TEXAS



Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



BRWON



CREMA




GREY



SLATE

HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## TEXAS BRWON METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |








HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## TEXAS CREMA METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## TEXAS GREY METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS


|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## TEXAS SLATE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|---|----------------------|-----------|--------------|------------|-----------|
|   | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





Dimension



**300x600mm**

12"x24"



**10mm**

THICKNESS

Available In

**MATT SURFACE**

**HIGH-DEPTH  
ELEVATION TILES**

VITRIFIED BODY

## SERIES VERONA

Introducing our revolutionary High Depth Exterior Cladding in Vitrified Body, with a unique 6-7mm depth, setting it apart from the rest. A pioneering product, it features random molds for a distinctive aesthetic. We proudly offer the largest portfolio of exterior cladding in all of Asia, ranking among the top 5 globally. Available in 300mmx600mm, our cladding redefines architectural possibilities combining innovation and style for your design needs.



COFFEE



GREY



BROWN



HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## VERONA COFFEE METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## VERONA GREY METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness



10mm

Technical Characteristics



### PACKAGING DETAILS

| Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|----------------------|-----------|--------------|------------|-----------|
| 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





HIGH-DEPTH  
ELEVATION TILES  
VITRIFIED BODY

## VERONA BROWN METRIX



MATT SURFACE

### PRODUCT INFORMATION

Dimensions



300x600mm / 12"x24"

Thickness




10mm

Technical Characteristics



### PACKAGING DETAILS

|  | Size                 | Thickness | Pieces / Box | Area Covg. | Approx Kg |
|--|----------------------|-----------|--------------|------------|-----------|
|  | 300x600mm<br>12"x24" | 10mm      | 06           | 1.08sqm    | 20.30kg   |





**Thank You**